

SAMSUNG NV3



1371109166.jpg



Samsung DIGIMAX NV3, Black, 7.2 M. pixels, 3x Opt. Zoom, 2.5' TFT LCD, Portable Multimedia Player, Advanced Shake Reduction, ISO1000
Gamintojo kodas: NV3 isensor: Type 1/2.5 CCD Effective Pixel Approx. 7.2 Mega-pixel Total Pixel Approx. 7.4 Mega-pixel lens: Focal Length
NV Lens f = 6.3 ~ 18.9mm (35mm film equivalent :38~114mm) F No. F3.5 ~ F4.5 Digital Zoom Still Image mode : 1.0X ~ 5.0X Play mode : 1.0X
~ 12.0X (depends on image ...

??????? : ??? ???????

????:

???????????? ????:

???????? ???? ? ???:

???? ?? ??????:

???? ?? ??????:

????: 6070,84 ?.

???? ?? ??????: 6070,84 ?.

?????:

???? ?????:

[??????? ?????? ?? ????? ??????](#)

???????? Samsung DIGIMAX NV3, Black, 7.2 M. pixels, 3x Opt. Zoom, 2.5' TFT LCD, Portable Multimedia Player, Advanced Shake Reduction, ISO1000Gamintojo kodas: NV3

isensor: Type 1/2.5 CCD Effective Pixel Approx. 7.2 Mega-pixel Total Pixel Approx. 7.4 Mega-pixel

lens: Focal Length NV Lens f = 6.3 ~ 18.9mm (35mm film equivalent :38~114mm) F No. F3.5 ~ F4.5 Digital Zoom Still Image mode : 1.0X ~ 5.0X Play mode : 1.0X ~ 12.0X (depends on image size)

focusing: Type TTL auto focus (Multi, Center) Range Normal : 80cm ~ infinity Macro : 5cm ~ 80cm (Wide), 40cm ~ 80cm (Tele) Super Macro : 1cm ~ 5cm(Wide) Auto Macro : 5cm ~ Infinity (Wide), 40cm ~ Infinity (Tele)

exposure: Control Program AE Metering : Multi, Spot Compensation +-2EV (1/2EV steps) ISO Equivalent Auto, 80, 100, 200, 400, 800, 1000

shutter: Type Mechanical and Electronic shutter Speed 2 ~ 1/2,000 sec. (Night : 15 ~ 1/2,000 sec.)

defects: Normal, B&W, Sepia, Red, Green, Blue, Negative, RGB Composite , Highlight, Frame

audio: Voice Recording (Max 1 hour) Voice Memo in Still Image (Max. 10 sec.)

lcdmonitor: 2.5 color TFT LCD (230,000 pixel)

flash: Modes Auto, Red-eye reduction, Fill-in flash, Slow sync, Flash off, Red-eye fix Range Wide : 0.3m ~ 3.4m, Tele : 0.5m ~ 2.7m (ISO AUTO) Recharging Time Approx. 4 sec.

shooting: Still Image Modes : Auto, Program, ASR, Scene * Scene : Night, Portrait, Children, Landscape, Text, Close-up, Sunset, Dawn, Backlight, Fireworks, Beach & Snow Continuous : Single, Continuous, AEB Self-timer : 2 sec., 10 sec., Double self timer(10sec. & 2sec.) Movie Clip With audio (recording time : memory capacity dependent) Size : 720x480, 640x480, 320x240 (3X Optical Zoom with sound recording) Frame rate : 30 fps, 20 fps(only 720x480 size), 15 fps Color Effect & WB selectable Movie Stabilizer (User Selectable) Movie Editing (Embedded) : Pause during recording, Still Image Capture, Time Trimming

fileformat: Still Image : JPEG (DCF), EXIF 2.2, DPOF 1.1, PictBridge 1.0 Movie Clip : AVI (MPEG-4) Audio : WAV

interface: Digital output connector : USB 2.0 Audio : Mono for Movie clip & Voice Recording, Stereo for MP3 & PMP Video out : PAL & NTSC (user selectable) DC power input connector : 24pin Connector

2 / 3

????? ?????	?????-???
?????????????? ????	????????? PictBridge 1.0
???????	?????????
	Li-Ion ?????????? SLB-0837, AC ?????? SAC-45 + USB ?????? SUC-C2 (????? ? ????????? ????????)
????? ?????????? ??????	200 ??????, 90 ??? ? ?????? ?????????????? ?????, 240 ??? ?
	????? ?????????????????? MP3, 135 ??? ? ?????? PMP
????????? ?????????	Li-Ion ?????????? SLB-0837, AC ?????? SAC-45, USB ?????, AV
	?????, ??????, ??? ? ??, ?????????? ?? ????????????
?? ? ?????????	Digimax Master, Digimax Converter
????????? ??	Windows 98, Windows 98SE, Windows 2000, Windows ME, Windows
	XP; Mac OS 9.0 - 10.4
?????? (????? ? ?????? ? ??????)	94.5 x 57 x 17.5 ??
???	142 ? (??? ????????????? ? ????? ??????)

?????

?? ?????? ?? ??? ?????.